
## J W W A G 114 水道用ダクタイル鋳鉄異形管



単位 mm

						<u>  M                                    </u>
御指示品	個 数	呼び径	管 厚	有効長	質 量	呼び径
即111小四		D	Т	L	( kg )	D
		7 5	8 . 5	1 0 0	9.15	7 5
		7 5	8 . 5	1 5 0	9.96	7 5
		7 5	8 . 5	200	10.8	7 5
		7 5	8 . 5	2 5 0	11.6	7 5
		7 5	8 . 5	3 0 0	12.4	7 5
		7 5	8 . 5	4 0 0	14.0	7 5
		7 5	8 . 5	5 0 0	15.6	7 5
		1 0 0	8 . 5	1 0 0	11.2	1 0 0
		1 0 0	8 . 5	1 5 0	12.2	1 0 0
		1 0 0	8 . 5	200	13.3	1 0 0
		1 0 0	8 . 5	2 5 0	14.3	1 0 0
		1 0 0	8 . 5	3 0 0	15.4	1 0 0
		1 0 0	8 . 5	4 0 0	17.5	1 0 0
		1 0 0	8 . 5	5 0 0	19.6	1 0 0
		1 5 0	9.0	1 0 0	15.7	1 5 0
		1 5 0	9.0	1 5 0	17.3	1 5 0
		1 5 0	9.0	200	18.9	1 5 0
		150	9.0	2 5 0	20.5	150
		150	9.0	3 0 0	22.1	1 5 0
		150	9.0	4 0 0	25.4	150



塗 装	内面										
仕 様	外面	J W	/W		K 成 棱	-	3 9 脂 塗	料			
図名	フランジ短管						7 . 5 K 形式1 7 5 ~ 1 5 0				
尺度	~		日 付	10/1	2/13	図番	WAF	S P	ΕR	0 - 0 1	
材質	FCD	(420-10)	承認	犬均	冢宣	検 図	小山	1	作 図	神谷	
					4						

株式会社ハズ